Index of Authors, Volume 12

Abdoue, AG, 31
Adachi, YU, 503
Adverse Drug Event Prevention Study Group, 600
Agarwal, K, 561
Agro, F, 581
Ai, K, 9
Albert, A, 402
Albertin, A, 292
Alonso, JA, 40
Aloy, A, 418
Amaki, Y, 270
Arora, MK, 75
Astles, JR, 136
Ault, ML, 48
Bacon, DR, 216, 501
Bader, AM, 378
Baker, B, 615
Balladur, P, 586
Bamford, OS, 283
Bardiau, FM, 402
Baris, S, 220
Barron, D, 256
Bates, DW, 600
Beach, M, 397
Beaussier, M, 586
Beebe, DS, 157, 454
Belani, KG, 157, 454
Ben-David, B, 374
Benesch, CG, 61
Berci, G, 632
Berry, R, 58
Berti, M, 292
Bessodes, A, 64
Bikhazi, GB, 173
Billote, DB, 31, 537
Bjoraker, RW, 25
Blas, ML, 142
Blum, R, 256
Boezaart, A, 58
Bohm, BE, 202
Boogaerts, JG, 402
Boosalis, P, 378
Bosek, V, 263
Boyd, J, 628
Boylan, JF, 573
Bricard, H, 64
Brown, M, 315
Bulcao, CF, 177
Buyse, I, 52
Carr, R, 157, 454
Caruso, LJ, 491
Casati, A, 117, 292
Chakravarty, EF, 80
Chelly, JE, 1
Chen, C-L, 231
Chen, Y-S, 231
Cheng, Y-F, 231
Cheung, AT, 519
Cheung, H-K, 231
Chiang, Y-C, 231
Clarke, RC, 468
Cohen, JA, 328
Comotti, L, 292
Connelly, NR, 555
Cooper, JB, 256
Corda, DM, 491, 595
Cravero, JP, 397
Croitoru, M, 374
Cullen, DJ, 600
Curreri, S, 427
Czerny, M, 363
Danelli, G, 292
Datta, S, 378
Davison, JK, 256
De Deyne, C, 52
De Geyndt, AM, 100, 303
De Jongh, R, 52
de Oliveira, R, 444
De Ridder, KP, 303
De Villa, V, 231
De Wolf, AM, 100, 303
Deghislage, J, 52
DeLoof, T, 100, 303
Demir, T, 543
Deo, SVS, 75
Decorps, A, 586
Devulder, JER, 574
Dhawan, KP, 468
Diemunsch, P, 1
Dodge, CP, 397
Dolasetron Prophylaxis Study Group, 1
Downing, JW, 25
Drum, E, 570
DuBois, DM, 1
Dumont, L, 575
Dunn, BM, 167
Ecoffey, C, 288
El-Rahmany, HK, 177, 283, 525
Eng, H-L, 231
Engoren, M, 388
Enneking, FK, 595
Estacio, RL, 173
Fan, KH, 581
Fanelli, G, 292
Fedorenko, NO, 519
Feinstein, D, 256
Fiege, M, 123
Findlay, JY, 319
Fisher, SD, 136
Fleisher, LA, 427
Foster, PA, 626, 633
Francisco, DR, 61
Frank, SM, 177, 283, 525
Frass, M, 363
Fredman, B, 531
Freeman, L, 628
Fruhwald, S, 208
Fukui, K, 571
Fukui, M, 571
Fukusaki, M, 421
Gabriel, P, 288
Gaiser, RR, 476
Gaitini, L, 374
Gan, TJ, 265
Gao, L, 615
Gérard, J-L, 64
Glass, PSA, 265
Glisson, SN, 537
Goerig, M, 561
Gogus, N, 543
Golkar, B, 339
Goto, S, 231
Goto, T, 146, 196, 371
Grass, JA, 558
Green, CL, 136
Green, D, 537
Greenberg, CS, 136
Grimm, M, 363
Gruessner, RW, 157, 454
Grundmann, U, 129
Guldogus, F, 220
Guvakov, DV, 519
Haas, J, 630
Hadzic, A, 595
Haenen, JS, 303
Hagen, JF, 392
Halasz, J, 256
Handa, F, 19
Hanouz, J-L, 64
Harwood, TN, 631
Haus, E-M, 129
Hausmann, H, 324
Heard, SO, 509
Hemandez-Popp, V, 630
Hemmerling, TM, 94, 202
Hendrickx, JFA, 100, 303
Henry, J, 626
Hepner, DL, 162
Herlich, A, 570
Herman, NL, 25
Hesel, TW, 283
Hetzer, R, 324
Heylen, R, 52
Hiesmayr, M, 363
Higuchi, H, 503
Hirose, I, 460
Hisada, K, 571

Journal of Clinical Anesthesia 12:643–645, 2000

© 2001 Elsevier Science Inc. All rights reserved.

655 Avenue of the Americas, New York, NY 10010

0952-8180/00/$–see front matter
PII S0952-8180(00)00235-X

Hoeft, A, 151
Hofbauer, R, 468
Hofstadter, MB, 549
Hohn, L, 72
Holzman, RS, 482
Howell, S, 265
Huang, T-L, 231
Humar, A, 157, 454
Hung, OR, 581
Ickx, BE, 402
Idupuganti, R, 109
Ihra, G, 417
Incesu, L, 220
Inge, WW, 136
Iqbal, M, 109
Irefin, S, 498
Irita, K, 571
Iseki, K, 189
Ishiguro, Y, 196, 371
Ishihara, H, 383
Iwama, H, 189
Jacobi, A, 94
Jacobi, C, 202
Jacobi, KE, 94, 202
Jaime, F, 89
Jawan, B, 231
Jedeikin, R, 531
Jensen, WA, 80
Jensenius, D, 628
Joh, S, 460
Johansen, JW, 433
Johnson, RF, 25
Jones, D, 25
Joshi, GP, 592
Juliao, MCC, 357
Kagawa, FT, 80
Kain, ZN, 549
Kalinin, NB, 519
Kallet, RH, 40
Kalsher, MJ, 273
Kanaya, N, 14
Kaneko, T, 189
Kapiotis, S, 363
Kaplan, DB, 83
Kaplan, M, 632
Karakaya, D, 220
Karaskov, AM, 519
Kashikar, A, 109
Kato, M, 189
Katz, JA, 40
Kavafyan, J, 339
Kawahito, S, 308
Kaye, AD, 468
Kaye, AM, 468
Kazim, D, 427
Kenaan, CA, 173
Kern, A, 36
Kern, JA, 487
Kern, KB, 167, 315
Kim, K, 213
Kirsch, CM, 80
Kirdemir, P, 543
Kitahata, H, 308
Knapp, S, 363
Knoebl, P, 363
Knox, SL, 184
Kofler, J, 363
Komanduri, V, 157, 454
Koster, A, 324
Kotake, Y, 9, 224
Kovac, AL, 1
Kroll, DA, 234
Krucoff, MW, 136
Kudoh, A, 383
Kulka, PJ, 335
Kuppe, H, 324
Laffey, JG, 573
Lam, AM, 449
Landers, DF, 592
Landsleitner, B, 104
Langevin, PB, 167
Larsen, R, 129
Lauretti, GR, 357, 444
Le Corre, F, 339
Leape, LL, 600
Lee, DL, 83
Lee, JH, 231
Lever, JS, 392
Levine, B, 570
Li, A-T, 25
Liang, BA, 234
Licker, M, 72
Lienhart, A, 586
Lin, C-L, 231
Lineberger, CK, 136
Lisbon, A, 509
Litaker, DL, 350
Liu, EHC, 298
Liu, P-P, 231
Lobato, EB, 142, 315, 328
Locker, GJ, 363
Lomivorotov, VN, 519
Losert, H, 363
Lozada, L, 630
Lubarsky, DA, 136, 238
Lysakowski, C, 575
Macario, A, 273
Mackey, JJ, 427
Mahla, E, 208
Mandell, GL, 89
Maneksha, FR, 67
Mangano, D, 491
Mark, D, 87
Marks, JD, 40
Martin, D, 627
Marty, J, 339
Mathes, DD, 487
Matsuki, A, 383
Matsumoto, M, 9
Matsuura, H, 460
Maurer, WG, 350
Mayes, LC, 549
Mayhew, JF, 184, 227, 570
Mazoit, X, 288
McKenzie, R, 1
McLeskey, CH, 1
Mehigan, D, 573
Mertzlufft, F, 324
Messerschmidt, A, 151
Metzler, H, 208
Meyer, O, 324
Mickey, B, 592
Mirza, H, 67
Miyoshi, H, 421
Morel, DR, 72
Morimoto, Y, 184
Morioka, T, 571
Morisaki, H, 9, 224
Morita, S, 146, 196, 371
Morita, Y, 224
Morvant, EM, 227
Muhm, M, 363
Murphy, GS, 48
Murray, I, 627
Murray, WB, 623, 624, 626, 627, 628, 633
Nakamura, T, 421
Nakane, M, 189
Nakata, Y, 146, 196, 371
Nakayama, M, 14
Namiki, A, 14
Nass, CM, 427
Nell, M, 58
Nguyen, NH, 227
Niimi, Y, 196, 371
Nishikawa, T, 19
Nishio, S, 571
Niwa, H, 460
Nozaki, J, 308
Oberheiden, R, 335
Ochiai, R, 224
Ohmori, S, 189
Okasha, AS, 177
Okuno-Fujiwara, M, 146
Orbegozo, M, 213
Oshita, S, 308
Ozkocak, I, 543
Paccola, CAJ, 444
Pagala, M, 109
Paige, GB, 315
Palmisano, S, 292
Pan, T-L, 231
Parker, BM, 350
Parker, SD, 427
Pasch, T, 343
Pavlin, EG, 449
Peppriell, JE, 216
Perez, MV, 444
Philip, BK, 1
Pierce, EC, Jr, 579
Pinchak, AC, 392
Poppers, PJ, 67
Purstner, P, 208
Quitmann, J, 36
Raemer, D, 256
Raja, SN, 525
Ramanathan, S, 89
Ramasubramanian, R, 509
Ramzan, I, 615
Rehak, P, 208
Reitan, J, 416
Rettke, SR, 319
Reuben, SS, 472
Reves, JG, 238
Rickauer, AJ, 202
Robbins, LD, 555
Rolly, G, 52
Rosenblatt, MA, 413
Russell, GB, 623

Russell, R, 256
Ryckman, JV, 252
Sabar, R, 468
Sabharwal, V, 558
Sabo, E, 374
Sadhasivam, S, 75
Safwat, A, 416
St. Pierre, M, 104
Saito, H, 371
Samba, D, 64
Sarihasan, B, 220
Satoh, T, 503
Sawker, S, 392
Saxena, A, 75
Scheu, C, 335
Schneider, AJL, 626
Schneider, G, 177
Scholz, J, 123
Schubert, A, 250
Schuettler, Juergen, 104
Schulte am Esch, J, 123, 561
Schumann, CM, 273
Schure, AY, 482
Schweizer, A, 72
Schwilden, H, 104
Sebel, PS, 433
Seidel, L, 402
Segal, S, 378
Seifert, B, 343
Shabhaz, N, 109
Shapiro, A, 531
Shevde, K, 109
Shibutani, T, 460
Shindel, M, 626
Shulman, MS, 83
Shunkin, AV, 519
Sidi, A, 328
Sigl, JC, 433
Slaughter, TF, 136
Smith, B, 273
Smith, CE, 392
Snyder, DS, 427
Somri, M, 374
Soppitt, AJ, 265
Spahn, DR, 343
Spiliopoulos, A, 72
Sprung, J, 498
Stamer, UM, 151
Steckner, K, 630
Steffel, C, 388
Stehling, L, 498
Steinberg, RB, 472
Stoiser, B, 363
Struys, M, 52
Sugiyama, K, 460
Sulek, CA, 142, 315
Sumikawa, K, 421
Szokol, JW, 48
Takahashi, S, 571
Takamatsu, I, 503
Takeda, J, 9, 224
Tamura, S, 421
Tan, S-M, 298
Tanaka, K, 308
Tanaka, M, 19
Tarabykin, A, 531
Taraday, J, 449
Tassani, P, 242
Tassonyi, E, 575
Terui, K, 196, 371
Tessier, C, 339
Tetzlaff, JE, 252, 350
Tiesenhausen, K, 208
Tilleul, P, 586
Tobias, JD, 409, (8)
Tongier, WK, 592
Torri, G, 117, 292
Toth, I, 509
Toyooka, H, 19
Toyota, S, 270
Tran, KM, 283, 525
Trikha, A, 75
Truong, PC, 273
Tryba, M, 335
Tsen, LC, 378
Tsuchida, H, 14
Tur, A, 220
Tyagaraj, C, 109
Uchihashi, Y, 503
Underberg, K, 626
Vaduva, S, 626, 627, 628
Vaida, SJ, 374
Vallejo, MC, 89
Van Aken, H, 129
Van Decar, TK, 25
Vandeput, DM, 100, 303
Vander Laenen, M, 52
Vannier, CA, 177
Venable, C, 626
Vig, S, 468
Visco, E, 449
Vloka, JD, 595
von Richthofen, V, 123
Vredenburgh, AG, 273
Vu, B, 525
Wagner, C, 454
Walker, KL, 622, 623
Wang, C-C, 231
Wang, S-H, 231
Wanke, C, 94
Wappler, F, 123
Ward, D, 632
Watanabe, K, 503
Waters, JH, 558
Weatherwax, K, 265
Webster, R, 628
Weinger, MB, 273
Weisbach, V, 94
Weisman, SJ, 549
Weiss, SJ, 519
Weisshorn, R, 123
Whalen, K, 397
Wilfing, A, 363
Wilhelm, W, 129
Williams, KJ, 273
Wixson, RL, 31, 537
Wong, HY, 48
Wu, CL, 61, (8)
Wulf, H, 36, 151
Yamamoto, S, 224
Zalunardo, MP, 343
Zauder, HL, 498
Zenz, M, 335
Zohar, E, 531
Zollinger, A, 343
Zornow, MH, 184
Zuckerman, RL, 427

ELSEVIER

Index of Subjects, Volume 12

Authors' names follow each subject entry. Departments from which the subjects were indexed are abbreviated as follows: AB = Abstract, CC = Case Conference, CR = Case Report, DD = Doctor's Docket, ED = Editorial, LE = Letter to the Editor, OC = Original Contribution, RA = Review Article, and SA = Special Article.

A

Abdominal aortic aneurysm
  aortic stent graft surgery for
    continuous spinal anesthetic technique for (CR) [Mathes, Kern], 487

Abdominal compartment syndrome, acute
  and conscious sedation during colonoscopy (CR) [Peppriell, Bacon], 216

Abdominal surgery
  gynecological
    clonidine and sufentanil as analgesia for (OC) [Juliao, Lauretti], 357
  ropivacaine in
    with or without fentanyl for patient-controlled analgesia (OC) [Berti, Casati, Fanelli, Albertin, Palmisano, Danelli, Comotti, Torri], 292

Adverse drug events prevention study
  decade of progress in patient safety (SA) [Cullen, Bates, Leape, Adverse Drug Event Prevention Study Group], 600
  what can anesthesiology learn from the adverse drug event prevention study? (ED) [Pierce, Jr], 600

Airway, difficult
  management procedures in
    quantitative description of workload of (OC) [Weinger, Vredenburgh, Schumann, Macario, Williams, Kalsher, Smith, Truong], 273
  obstetrics, in
    equipment for, in obstetric units in Germany (OC) [Stamer, Messerschmidt, Wulf, Hoeft], 151
  oral and maxillofacial surgery, and
    report of 14,196 anesthetics from one teaching hospital over a 30-year period (OC) [Matsuura, Hirose, Joh, Sugiyama, Niwa, Shibutani], 460
  pediatrics, in
    arthrogryposis multiplex congenita (CR) [Nguyen, Morvant, Mayhew], 227
    cuffed oropharyngeal airway, in elective surgery for (OC) [Robbins, Connelly], 555

Airway pressure, bilevel positive
  with noninvasive ventilation
    for treatment of impending respiratory failure in the postanesthesia care unit (OC) [Tobias], 409

Alveolitis, cryptogenic fibrosing
  and mastectomy surgery
    thoracic epidural anesthesia in (CR) [Trikha, Sadhasivam, Saxena, Arora, Deo], 75

Ambulatory surgery
    unique approach to postoperative analgesia (CC) [Corda, Enneking, Vloka, Hadzic], 595

Analgesia
  after ambulatory surgery
    unique approach to (CC) [Corda, Enneking, Vloka, Hadzic], 595
  cancer pain, refractory
    Lamotrigine for (LE) [Devulder], 574
  clonidine, intrathecal, and sufentanil
    in gynecological abdominal surgery (OC) [Juliao, Lauretti], 357
  droperidol
    adjunct to fentanyl in anorectal surgery (OC) [Kotake, Matsumoto, Ai, Morisaki, Takeda], 9
  epidural
    continuous; prophylactic blood patch performed prior to (CR) [Waters, Sabharwal, Grass], 558
    labor; uniport vs. multiport catheters in; quality assurance study of (OC) [Jaime, Mandell, Vallejo, Ramanathan], 89
  in orthopedics
    diclofenac fails to induce opioid-sparing or improve pain relief in geriatric surgery (OC) [Fredman, Zohar, Tarabykin, Shapiro, Jedeikin], 531
  perioperative stroke
    association with (CR) [Wu, Francisco, Benesch], 61
  ropivacaine for
    in abdominal surgery; with or without fentanyl for patient- controlled analgesia (OC) [Berti, Casati, Fanelli, Albertin, Palmisano, Danelli, Comotti, Torri], 292
  spinal anesthesia and
    influence of preemptive, on postoperative pain (OC) [Vaida, Ben-David, Somri, Croitoru, Sabo, Gaitini], 374

Anesthesia
  emergence from
    preoperative intravenous clonidine attenuates stress response during (OC) [Zalunardo, Zollinger, Spahn, Seifert, Pasch], 343
  epidural
    cesarean section, for in parturient with pseudotumor cerebri and lumboperitoneal shunt (CR) [Kim, Orbegozo], 213
    effects of, on cardiovascular response to rapid increase in isoflurane concentration (OC) [Nakayama, Tsuchida, Kanaya, Namiki], 14
    effect of, on cardiovascular response to rapid increase in isoflurane concentration (OC) [Nakayama, Tsuchida, Kanaya, Namiki], 14
    thoracic epidural, in modified radical mastectomy (CR) [Trikha, Sadhasivam, Saxena, Arora, Deo], 75
  extradural
    ropivacaine during, in total hip replacement (OC) [Quitmann, Kern, Wulf], 36
  history of
    Bier, August, MD (1861-1949) father of spinal anesthesia (SA) [Goerig, Agarwal, Schulte am Esch], 561
    legacy of (ED) [Bacon], 501
  induction of
    in pediatrics rapid, with high concentrations of halothane or sevoflurane (OC) [Morimoto, Mayhew, Knox, Zornow], 184
  inhalational, general
    homeostasis during; comparison of sevoflurane and isoflurane (OC) [Torri, Casati, Italian Research Group on Sevoflurane], 117

Journal of Clinical Anesthesia 12:646–657, 2000

© 2001 Elsevier Science Inc. All rights reserved.

655 Avenue of the Americas, New York, NY 10010

0952-8180/00/$–see front matter
PII S0952-8180(00)00236-1

local
bracheal plexus block unique approach to postoperative analgesia with, in ambulatory surgery (CC) [Corda, Enneking, Vloka, Hadzic], 595
brachial plexus catheterization continuous shoulder analgesia via an indwelling axillary (CR) Reuben, Steinberg], 472
unintentional transfixation of a transverse cervical vein during (CR) [Rosenblatt], 413
brachial plexus injury in subclavian vain catheterization for hemodialysis (CR) [Karakaya, Baris, Guldogus, Incesu, Sarihasan, Tur], 220
complex regional pain syndrome; resistance to (CR) [Maneksha, Mirza, Poppers], 67
lumbar sympathetic ganglion block vs. epidural anesthesia in comparison of lower extremity cutaneous temperature changes (OC) [Frank, El-Rahmany, Tran, Vu, Raja], 525
stellate ganglion block and left ventricular function echocardiographic analysis (OC) [Lobato, Kern, Paige, Brown, Sulek], 315
low-flow
and sevoflurane; maintenance of, using single vaporizer setting change after overpressure induction (OC) [Hendrickx, Vandeput, De Geyndt, De Ridder, Haenen, Deloof, De Wolf], 303
minimal flow
and sevoflurane; coasting after overpressure induction with (OC) [Hendrickx, Vendeput, De Geyndt, DeLoof, De Wolf], 100
outpatient
and the preoperative evaluation process; role of the anesthesiologist (OC) [Parker, Tetzlaff, Litaker, Maurer], 350
high-risk effectiveness of remifentanil vs. fentanyl (OC) [Mackey, Parker, Nass, Snyder, Curreri, Kazim, Zuckerman, Fleisher], 427
pediatric
airway, oropharyngeal, cuffed evaluation of, for elective surgery (OC) [Robbins, Connelly], 555
anesthesia induction, rapid high concentrations of halothane or sevoflurane for (OC) [Morimoto, Mayhew, Knox, Zornow], 184
arthrogryposis multiplex congenita anesthetic management for patients with (CR) [Nguyen, Morvant, Mayhew], 227
circulatory arrest, hypothermic forced-air warming after cardiac surgery in, without need for cardiopulmonary bypass (OC) [Guvakov, Cheung, Weiss, Kalinin, Fedorenko, Shunkin, Lomivorotov, Karaskov], 519
cisatracurium intubating conditions and pharmacodynamics of, during halothane and opioid anesthesia (OC) [Kenaan, Estacio, Bikhazi], 173
graft-versus-host disease, chronic and severe restrictive pulmonary dysfunction (CR) [Schure, Holzman], 482
liver transplantation (living related) in anesthetic care, early postoperative morbidity and mortality after (OC) [Wagner, Beebe, Carr, Komanduri, Humar, Gruessner, Belani], 454
radiologic studies in unique sedation method for infants (LE) [Levine, Drum, Mayhew, Herlich], 570
reactions to surgery social adaptability, cognitive abilities, and other predictors (OC) [Kain, Mayes, Weisman, Hofstadter], 549
regional pain syndrome, complex, in resistance to local anesthesia block (CR) [Maneksha, Mirza, Poppers], 67
sevoflurane, emergence characteristics of for bilateral pressure equalization tube insertion (OC) [Cravero, Beach, Dodge, Whalen], 397
tonsillectomy
bleeding during relationship between clinical history, coagulation tests, and perioperative bleeding in pediatrics (OC) [Gabriel, Mazoit, Ecoffey], 288
recovery from
desflurane vs. isoflurane for; observational evaluation of (OC) [Beaussier, Decorps, Tilleul, Balladur, Lienhart], 586
side effects, unpleasant, of
patient perception of monetary value of avoiding (OC) [Engoren, Steffel], 388
spinal
continuous; for endovascular aortic stent graft surgery (CR) [Mathes, Kern], 487
and use of intrathecal lidocaine in the 21st century (CR) [Gaiser], 476
preemptive; influence of, on postoperative pain (OC) [Vaida, Ben-David, Somri, Croitoru, Sabo, Gaitini], 374
topical
methemoglobinemia following lidocaine and benzocaine in difficult intubation (CC) [Kerr, Langevin, Dunn], 167
vs. retrobulbar block in cataract surgery patients' perspective on (OC) [Boezaart, Berry, Nell], 58
Anesthesia machine
unusual leak (LE) [Mark], 87
Anesthesiologists
airway management workload for
quantitative description of (OC) [Weinger, Vredenburgh, Schumann, Macario, Williams, Kalsher, Smith, Truong], 273
Bier, August, MD (1861-1949)
father of spinal anesthesia (SA) [Goerig, Agarwal, Schulte am Esch], 561
legacy of (ED) [Bacon], 501
preoperative evaluation process and
redefining; and the role of the anesthesiologist (OC) [Parker, Tetzlaff, Litaker, Maurer], 350
reimbursement for, vs. other physicians
using Medicare multiples results in disproportionate (SA) [Lubarsky, Reves], 238
residents
key words as adjunctive learning tool during perioperative medicine rotation (OC) [Tetzlaff, Ryckman], 252
risk attitudes of
in clinical decision-making (OC) [Nakata, Okuno-Fujiwara, Goto, Morita], 146
Anesthesiology
adverse drug event prevention study
useful for discipline (ED) [Pierce, Jr], 579
Aneurysm,
abdominal aortic
aortic stent graft surgery for
continuous spinal anesthetic technique for (CR) [Mathes, Kern], 487
Angiotensin-converting enzyme inhibitors (ACEIs)
enalapril
fatal intestinal necrosis after treatment with, in rheumatoid arthritis patient (CR) [Schweizer, Hohn, Morel, Spiliopoulos, Licker], 72
Anorectal surgery
droperidol in
aid to fentanyl analgesia postoperatively (OC) [Kotake, Matsumoto, Ai, Morisaki, Takeda], 9

Antagonists, serotonin
dolasetron mesylate
for postoperative nausea and vomiting pooled analysis of three large clinical trials to determine optimal dose (OC) [Philip, McLeskey, Chelly, McKenzie, Kovac, Diemunsch, DuBois, and Dolasetron Prophylaxis Study Group], 1
Antidepressants
St. John's wort
possible cause of cardiovascular collapse (LE) [Irefin, Sprung], 498
surgical stress
cortisol response to, in chronically depressed patients (OC) [Kudoh, Ishihara, Matsuki], 383
Aortic stent graft surgery
continuous spinal anesthetic technique for (CR) [Mathes, Kern], 487
Arteriovenous malformation, hepatic
liver transplantation for
with high-output cardiac failure and hereditary hemorrhagic telangiectasia (CR) [Le Corre, Golkar, Tessier, Kavafyan, Marty], 339
Arthritis, rheumatoid
enalapril treatment in
fatal intestinal necrosis after treatment with (CR) [Schweizer, Hohn, Morel, Spiliopoulos, Licker], 72
Arthrogryposis multiplex congenita
in pediatrics
anesthetic management for, and with severe micrognathia (CR) [Nguyen, Morvant, Mayhew], 227
Arthroplasty, total hip
and controlled hypotension in (OC) [Fukusaki, Nakamura, Miyoshi, Tamura, Sumikawa], 421
ASA (American Society of Anesthesiologists) Physical Status
category V revisited (OC) [Sidi, Lobato, Cohen], 328
Awareness
during laryngoscopy and intubation
quantitating incidence after balanced anesthesia induction with etomidate and cisatracurium (OC) [St. Pierre, Landsleitner, Schwilden, Schuettler], 104

B
Benzocaine
methemoglobinemia after topical anesthesia with lidocaine and; in difficult intubation (CC) [Kern, Langevin, Dunn], 167
Bier, August, MD (1861-1949)
father of spinal anesthesia (SA) [Goerig, Agarwal, Schulte am Esch], 561
legacy of (ED) [Bacon], 501
Bispectral index
electroencephalographic, monitoring
impact of hypnotic-titration guidelines based on (OC) [Johansen, Sebel, Sigl], 433
sevoflurane, and
effect of IV clonidine pretreatment during bispectral EEG-guided sevoflurane anesthesia (OC) [De Deyne, Struys, Heylen, De Jongh, Vander Laenen, Buyse, Deghislage, Rolly], 52
Bleeding
in ENT surgery
clinical history, coagulation tests, and perioperative bleeding during tonsillectomy in pediatrics (OC) [Gabriel, Mazoit, Ecoffey], 288
Blood, salvaged
cytokine and eicosanoid production in
comparison with whole blood, stored red blood cell concentrates, and (OC) [Jacobi, Wanke, Jacobi, Weisbach, Hemmerling], 94
Blood donation
autologous, preoperative
efficacy of; analysis of blood loss and transfusion practice in total hip replacement (OC) [Billote, Glisson, Green, Wixson], 537
hemodilution,
acute normovolemic
comparison of, with preoperative autologous blood donation (OC) [Billote, Abdoue, Wixson], 31 (LE concerning this article [Zauder, Stehling], 498)
Blood flow, coronary sinus
in coronary artery bypass graft; transesophageal echocardiography for (OC) [Toyota, Amaki], 270
Blood gas analysis, arterial
and pulmonary artery catheterization; comparison of two oxygen delivery systems (LE) [Safwat, Reitan], 416
Blood patch, prophylactic
in continuous epidural analgesia (CR) [Waters, Sabharwal, Grass], 558
Blood pressure monitoring, continuous
evaluation of new method of, in critically ill patients (OC) [Heard, Lisbon, Toth, Ramasubramanian], 509
Blood transfusion
autologous blood donation, preoperative
efficacy of; analysis of blood loss and transfusion practice in total hip replacement (OC) [Billote, Glisson, Green, Wixson], 537
gender as determinant of need for, in coronary artery bypass graft (OC) [Shevde, Pagala, Kashikar, Tyagaraj, Shahbaz, Iqbal, Idupuganti], 109
in liver transplantation
preoperative variables are poor predictor of transfusion needs during (OC) [Findlay, Rettke], 319
Brachial plexus block
catheterization, interscalene
unintentional transfixation of a transverse cervical vein during placement of (CR) [Rosenblatt], 413
injury during subclavian vein catheterization for hemodialysis
(CR) [Karakaya, Baris, Guldogus, Incesu, Sarihasan, Tur], 220
shoulder analgesia with
continuous, via an indwelling axillary brachial plexus catheter (CR) [Reuben, Steinberg], 472
Breathing, spontaneous
propofol dosage to achieve, during balanced regional anesthesia with laryngeal mask airway (OC) [Iwama, Nakane, Ohmori, Kato, Kaneko, Iseki], 189
Bronchoscopy, fiberoptic
intubation problems during, due to defect (LE) [Dumont, Lysakowski, Tassonyi], 575
Bronchospasm
during intubation; latex anaphylaxis? (CR) [Hepner], 162
Butorphanol
in anorectal surgery
less advantageous than droperidol in supplementing fentanyl analgesia (OC) [Kotake, Matsumoto, Ai, Morisaki, Takeda], 9

C
Cancer pain, refractory
Lamotrigine for (LE) [Devulder], 574
Cannulation, vein
brachial plexus injury
in subclavian vein catheterization for hemodialysis (CR) [Karakaya, Baris, Guldogus, Incesu, Sarihasan, Tur], 220
left vs. right internal jugular
in adult patients (OC) [Sulek, Blas, Lobato], 142
ultrasonography and
aid to antermedial internal jugular vein (CR) [Shulman, Kaplan, Lee], 83
Cardiopulmonary bypass
core temperature determinants

(OC) [El-Rahmany, Frank, Vannier, Schneider, Okasha, Bulcao], 177
corticosteroids during
(SA) [Tassani], 242
Cardiovascular
collapse during
St. John's wort as possible cause of (LE) [Irefin, Sprung], 498
Cardiovascular surgery
and heparin-induced thrombocytopenia
danaparoid sodium for; cross-reactivity of (OC) [Koster, Meyer, Hausmann, Kuppe, Hetzer, Mertzlufft], 324
Carotid endarterectomy
postoperative neurologic deficit in (LE) [Laffey, Mehigan, Boylan], 573
Cataract surgery
topical anesthesia vs. retrobulbar block
patients' perspective on (OC) [Boezaart, Berry, Nell], 58
Catheter
brachial plexus, interscalene
unintentional transfixation of a transverse cervical vein during placement of (CR) [Rosenblatt], 413
central venous
ultrasonography as aid to antermedial internal jugular vein (CR) [Shulman, Kaplan, Lee], 83
uniport vs. multiport
in epidural labor analgesia; quality assurance study (OC) [Jaime, Mandell, Vallejo, Ramanathan], 89
Catheterization, pulmonary artery
arterial blood gas analysis during; comparison between two oxygen delivery systems (LE) [Safwat, Reitan], 416
Cauda equina syndrome
and intrathecal lidocaine (CR) [Gaiser], 476
Cerebral oximetry
in carotid endarterectomy; postoperative neurologic deficit in spite of normal reading (LE) [Laffey, Mehigan, Boylan], 573
Cesarean section, emergency
ephedrine and spinal anesthesia
hemodynamic effects of simultaneous administration for (OC) [Tsen, Boosalis, Segal, Datta, Bader], 378
hypermagnesemia
cardiopulmonary arrest induced by, before anesthesia induction (CR) [Morisaki, Yamamato, Morita, Kotake, Ochiai, Takeda], 224
myocardial infarction, acute
from coronary artery plaque disruption (CR) [Kulka, Scheu, Tryba, Oberheiden, Zenz], 335
pseudotumor cerebri and lumboperitoneal shunt
epidural anesthesia for (CR) [Kim, Orbegozo], 213
Circulatory arrest, hypothermic
in pediatrics
forced-air warming after cardiac surgery in, without need for cardiopulmonary bypass (OC) [Guvakov, Cheung, Weiss, Kalinin, Fedorenko, Shunkin, Lomivorotov, Karaskov], 519
Cisatracurium
awareness after induction with etomidate and
quantitating incidence of, during intubation and laryngoscopy (OC) [St. Pierre, Landsleitner, Schwilden, Schuettler], 104
in pediatrics
intubating conditions and pharmacodynamics of, during halothane and opioid anesthesia (OC) [Kenaan, Estacio, Bikhazi], 173
Clonidine
intrathecal, low-dose
in combination with sufentanil as analgesia in abdominal gynecological surgery (OC) [Juliao, Lauretti], 357
intravenous
influence of, on anesthesia during bispectral EEG-guided sevoflurane anesthesia (OC) [De Deyne, Struys, Heylen, De Jongh, Vander Laenen, Buyse, Deghislage, Rolly], 52
preoperative attenuates stress response during anesthesia emergence (OC) [Zalunardo, Zollinger, Spahn, Seifert, Pasch], 343
oral premedication
and ketamine effects of, on side effects of IV ketamine (OC) [Handa, Tanaka, Nishikawa, Toyooka], 19
Colonoscopy
conscious sedation during
in acute abdominal compartment syndrome (CR) [Peppriell, Bacon], 216
Coagulation
in coronary artery bypass graft
prostaglandin E_1 and (OC) [Locker, Grimm, Losert, Stoiser, Kofler, Knapp, Wilfing, Knoebl, Kapiotis, Czerny, Muhm, Hiesmayr, Frass], 363
in tonsillectomy
relationship between clinical history, coagulation tests, and perioperative bleeding in pediatrics (OC) [Gabriel, Mazoit, Ecoffey], 288
Common procedural terminology (CPT) coding
and reimbursement for anesthesiologists (SA) [Lubarsky, Reves], 238
Coronary artery bypass graft
and blood transfusion
gender as determinant of differences in need for, in (OC) [Shevde, Pagala, Kashikar, Tvagaraj, Shahbaz, Iqbal, Idupuganti], 109
coronary sinus blood flow during
transesophageal echocardiography, measurement of (OC) [Toyota, Amaki], 270
prostaglandin E_1 and
and plasmatic coagulation, hepatic synthesis, and postoperative blood loss after coronary artery bypass graf (OC) [Locker, Grimm, Losert, Stoiser, Kofler, Knapp, Wilfing, Knoebl, Kapiotis, Czerny, Muhm, Hiesmayr, Frass], 363
Coronary artery plaque
disruption of, as cause of acute MI in cesarean section (CR) [Kulka, Scheu, Tryba, Oberheiden, Zenz], 335
Corticosteroids
and cardiopulmonary bypass (SA) [Tassani], 242
Cortisol
myocardial cell injury, perioperative, and
relationship between Troponin T and cortisol (OC) [Mahla, Tiesenhausen, Rehak, Fruhwald, Purstner, Metzler], 208
response of
to surgical stress in chronically depressed patients (OC) [Kudoh, Ishihara, Matsuki], 383
Craniotomy, awake
tumor resection for; use of laryngeal mask airway (CR) [Tongier, Joshi, Landers, Mickey], 592
Crisis resource management
principles of organization of a multidisciplinary group for (SA) [Murray, Foster], 633
Cytokine
production of
and eicosanoid, in salvaged blood, whole blood, stored red blood cell concentrates, and whole blood (OC) [Jacobi, Wanke, Jacobi, Weisbach, Hemmerling], 94

D

D-dimer marker of fibrinolytic activity
and myocardial ischemia, after vascular surgery (OC) [Lubarsky, Fisher, Slaughter, Green, Lineberger, Astles, Greenberg,

Inge III, Krucoff], 136

Danaparoid sodium (heparinoid)
in cardiovascular surgery
in vitro cross-reactivity of, in heparin-induced thrombocytopenia type II (OC) [Koster, Meyer, Hausmann, Kuppe, Hetzer, Mertzlufft], 324

Desflurane
vs. isoflurane
observational evaluation of rate of awakening after (OC) [Beaussier, Decorps, Tilleul, Balladur, Lienhart], 586

Diclofenac sodium
in geriatric orthopedic surgery
fails to induce opioid-sparing or improve analgesia (OC) [Fredman, Zohar, Tarabykin, Shapiro, Jedeikin], 531

Dietary supplements
and other herbal medicines
current trends seen in anesthesiology practice; hospital survey (OC) [Kaye, Clarke, Sabar, Vig, Dhawan, Hofbauer,Kaye], 468

Discectomy, lumbar
and delayed diagnosis of vascular injuries during (CR) [Hanouz, Bessodes, Samba, Gérard, Bricard], 64

Dolasetron mesylate
for postoperative nausea and vomiting
pooled analysis of three large clinical trials to determine optimal dose of (OC) [Philip, McLeskey, Chelly, McKenzie, Kovac, Diemunsch, DuBois, and Dolasetron Prophylaxis Study Group], 1

Droperidol
in anorectal surgery
aid to fentanyl analgesia postoperatively (OC) [Kotake, Matsumoto, Ai, Morisaki, Takeda], 9

Drug administration technique
in infants; unique method for oral (LE) [Levine, Drum, Mayhew, Herlich], 570

Drug event, adverse, prevention study
what can anesthesiology learn from this work? (ED) [Pierce, Jr], 579

E

Echocardiography, transesophageal
coronary artery bypass graft, in
measurement of coronary sinus blood flow with, during CABG (OC) [Toyota, Amaki], 270
high-frequency jet ventilation and
assessment of pulmonary arterial and venous flow during, with (OC) [Kawahito, Kitahata, Tanaka, Nozaki, Oshita], 308
local anesthesia, in
stellate ganglion block; differential effects of, on left ventricular function (OC) [Lobato, Kern, Paige, Brown, Sulek], 315
myocardial ischemia as detected by
in peripheral vascular surgery (CC) [Corda, Caruso, Mangano], 491

Education, perioperative
new technologies in
teleconferencing, distance learning, telementoring (ED) [Schubert], 250
realistic simulation and video teleconferencing for medical education (SA) [Cooper, Barron, Blum, Davison, Feinstein, Halasz, Raemer, Russell], 256
resident education
key words as learning tool during medicine rotation (OC) [Tetzlaff, Ryckman], 252

Eicosanoid
production of
and cytokine, in salvaged blood, whole blood, stored red blood cell concentrates, and whole blood (OC) [Jacobi, Wanke, Jacobi, Weisbach, Hemmerling], 94

Electrocardiogram
and blood pressure monitoring, continuous
evaluation of new method of, in critically ill patients (OC) [Heard, Lisbon, Toth, Ramasubramanian], 509

Electroencephalogram
bispectral index
impact of hypnotic-titration guidelines based on (OC) [Johansen, Sebel, Sigl], 433

Emesis
dolasetron for
pooled analysis of three large clinical trials to determine optimal dose, in postoperative (OC) [Philip, McLeskey, Chelly, McKenzie, Kovac, Diemunsch, DuBois, and Dolasetron Prophylaxis Study Group], 1
propofol for
controversies surrounding use for this purpose (ED) [Bosek], 263
survey of use in the U.S. (OC) [Soppitt, Glass, Howell, Weatherwax, Gan], 265
tropisetron to prevent postoperative
(OC) [Boogaerts, Bardiau, Seidel, Albert, Ickx], 402

Enalapril
fatal intestinal necrosis after treatment with, in rheumatoid arthritis patient (CR) [Schweizer, Hohn, Morel, Spiliopoulos, Licker], 72

Endotracheal tube cuff
effect of Xenon on (OC) [Ishiguro, Saito, Nakata, Goto, Terui, Niimi, Morita], 371

Endovascular surgery
aortic stent graft
continuous spinal anesthetic technique for (CR) [Mathes, Kern], 487

Enoximone (phosphodiesterase-III inhibitor)
and malignant hyperthermia (OC) [Fiege, Wappler, Scholz, Weisshorn, von Richthofen, Schulte am Esch], 123

Ephedrine
in cesarean section
effects of simultaneous administration of, and spinal anesthesia (OC) [Tsen, Boosalis, Segal, Datta, Bader], 378

Epilepsy, medial temperal lobe
propofol not effective on intraoperative seizure activity (LE) [Fukui, Morioka, Hisada, Nishio, Irita, Takahashi, Fukui], 571

Equipment and supplies
airway, difficult
equipping obstetric units in Germany (OC) [Stamer, Messerschmidt, Wulf, Hoeft], 151
orophgaryngeal, cuffed evaluation of, in pediatric elective surgery (OC) [Robbins, Connelly], 555
anesthesia machine
unusual leak (LE) [Mark], 87
catheters
central venous
ultrasonography as aid to antermedial internal jugular vein cannulation (CR) [Shulman, Kaplan, Lee], 83
uniport vs. multiport in epidural labor analgesia; quality assurance study (OC) [Jaime, Mandell, Vallejo, Ramanathan], 89
electrocardiogram
and blood pressure monitoring, continuous evaluation of new method of, in critically ill patients (OC) [Heard, Lisbon, Toth, Ramasubramanian], 509
electroencephalogram
bispectral index impact of hypnotic-titration guidelines based on (OC) [Johansen, Sebel, Sigl], 433
endotracheal tube cuff
effect of Xenon on (OC) [Ishiguro, Saito, Nakata, Goto, Terui, Niimi, Morita], 371
FASTRACH
intubating laryngeal mask airway for use alone or together with lightwand (TRACHLIGHT) (OC) [Fan, Hung, Agro], 581

fiberoptic bronchoscope
defect in, cause of intubation problems (LE) [Dumont, Lysakowski, Tassonyi], 575
Laryngeal Mask Airway™
awake craniotomy, in tumor resection during (CR) [Tongier, Joshi, Landers, Mickey], 592
intubating laryngeal mask airway (FASTRACH) for use alone or together with lightwand (TRACHLIGHT); comparison (OC) [Fan, Hung, Agro], 581
sevoflurane and comparison with propofol/isoflurane-nitrous oxide in adult elective surgery (OC) [Smith, Level, Sawkar, Pinchak, Hagen], 392
spontaneous breathing, and propofol dosage for, during balanced regional anesthesia (OC) [Iwama, Nakane, Ohmori, Kato, Kaneko, Iseki], 189
lightwand (TRACHLIGHT)
and intubating laryngeal mask airway (FASTRACH); comparison (OC) [Fan, Hung, Agro], 581
SmartVent anesthesia ventilator (Datex-Ohmeda)
improvement in flow and pressure capabilities of (OC) [Katz, Kallet, Alonso, Marks], 40
Ethics, medical
ulnar neuropathy after surgery
and *res ipsa loquitur* (DD) [Liang, Kroll], 234
Etomidate
awareness after induction with cisatracurium and
quantitating incidence of, during intubation and laryngoscopy (OC) [St. Pierre, Landsleitner, Schwilden, Schuettler], 104
Eye surgery
cataract
topical anesthesia vs. retrobulbar block patients' perspective on (OC) [Boezaart, Berry, Nell], 58

F
Fasting policy
effect of, on operating room utilization (OC) [Murphy, Ault, Wong, Szokol], 48
Fee schedules
reimbursement for anesthesiologists
use of Medicare multiples (SA) [Lubarsky, Reves], 238
Fentanyl
in abdominal surgery
and ropivacaine for patient-controlled analgesia (OC) [Berti, Casati, Fanelli, Albertin, Palmisano, Danelli, Comotti, Torri], 292
in anorectal surgery
droperidol as adjunct to, postoperatively (OC) [Kotake, Matsumoto, Ai, Morisaki, Takeda], 9
in high-risk outpatient surgery
vs. remifentanil (OC) [Mackey, Parker, Nass, Snyder, Curreri, Kazim, Zuckerman, Fleisher], 427
Fibrinolysis
and myocardial ischemia
in peripheral vascular surgery (OC) [Lubarsky, Fisher, Slaughter, Green, Lineberger, Astles, Greenberg, Inge III, Krucoff], 136

G
Gastric intramucosal pH
in controlled hypotension
splanchnic perfusion during; comparison of acute normovolemic hemodilution and (OC) [Fukusaki, Nakamura, Miyoshi, Tamura, Sumikawa], 421
Gender
as determinant of blood transfusion requirement
in coronary artery bypass graft (OC) [Shevde, Pagala, Kashikar, Tyagaraj, Shahbaz, Iqbal, Idupuganti], 109
Geriatric surgery
diclofenac sodium for
failure to induce opioid-sparing or improve analgesia (OC) [Fredman, Zohar, Tarabykin, Shapiro, Jedeikin], 531
Graft-versus-host disease, chronic
in pediatrics
and severe restrictive pulmonary dysfunction (CR) [Schure, Holzman], 482
Gynecological surgery, abdominal
clonidine and sufentanil as analgesia for (OC) [Juliao, Lauretti], 357

H
Halothane
in pediatrics
rapid induction with high concentrations of sevoflurane or (OC) [Morimoto, Mayhew, Knox, Zornow], 184
emergence characteristics of, vs. sevoflurane, in bilateral pressure equalization tube insertion (OC) [Cravero, Beach, Dodge, Whalen], 397
Headache, postdural puncture
prophylactic blood patch performed before continuous epidural analgesia (CR) [Waters, Sabharwal, Grass], 558
Hematoma anticoagulation in cervical
placement of interscalene brachial plexus catheter unintentional transfixation of transverse cervical vein during (CR) [Rosenblatt], 413
Hemodilution
acute normovolemic
comparison of, with preoperative autologous blood donation (OC) [Billote, Abdoue, Wixson], 31 (LE concerning this article [Zauder, Stehling], 498)
Heparin
thrombocytopenia induced by
danaparoid sodium for; in cardiovascular surgery (OC) [Koster, Meyer, Hausmann, Kuppe, Hetzer, Mertzlufft], 324
Herbal medicines
current trends seen in anesthesiology practice
hospital survey (OC) [Kaye, Clarke, Sabar, Vig, Dhawan, Hofbauer, Kaye], 468
St. John's wort
possible cause of cardiovascular collapse (LE) [Irefin, Sprung], 498
Hereditary hemorrhagic telangiectasia
liver transplantation for hepatic arteriovenous malformation with
(CR) [Le Corre, Golkar, Tessier, Kavafyan, Marty], 339
Heroin, black tar use
and cardiac arrest
succinylcholine-induced hyperkalemia in patient with wound botulism from (CR) [Chakravarty, Kirsch, Jensen, Kagawa], 80
Hip replacement, total
autologous blood donation, preoperative, in
efficacy of; analysis of blood loss and transfusion practice in (OC) [Billote, Glisson, Green, Wixson], 537
ropivacaine in
during extradural anesthesia (OC) [Quitmann, Kern, Wulf], 36
Human error
prevention of adverse drug events
decade of progress in patient safety (SA) [Cullen, Bates, Leape, Adverse Drug Event Prevention Study Group], 600
what can anesthesiology learn from the adverse drug event prevention study? (ED) [Pierce, Jr], 579
Hyperkalemia
succinylcholine-induced
cardiac arrest caused by, in patient with wound botulism (CR) [Chakravarty, Kirsch, Jensen, Kagawa], 80
Hypermagnesemia

in cesarean section
cardiopulmonary arrest induced by, before anesthesia induction (CR) [Morisaki, Yamamato, Morita, Kotake, Ochiai, Takeda], 224
Hyperthermia, malignant
and enoximone (phosphodiesterase-III inhibitor) (OC) [Fiege, Wappler, Scholz, Weisshorn, von Richthofen, Schulte am Esch], 123
Hypotension
controlled
in liver transplantation; repeated episodes of, caused by hepatic outflow obstruction (CR) [Jawan, Cheung, Chen, Chen, Chiang, Wang, Cheng, Huang, Eng, Goto, Pan, De Villa, Liu, Wang, Lin, Lee], 231
nitroprusside for; effect on surgical conditions and blood loss in endoscopic sinus surgery (OC) [Jacobi, Bohm, Rickauer, Jacobi, Hemmerling], 202
splanchnic perfusion during
combination with acute hypervolemic hemodilution; comparison with acute normovolemic hemodilution and gastric intramucosal pH (OC) [Fukusaki, Nakamura, Miyoshi, Tamura, Sumikawa], 421
Hypothermia
cardiopulmonary bypass, in
core temperature determinants (OC) [El-Rahmany, Frnak, Vannier, Schneider, Okasha, Bulcao], 177
hypothermic circulatory arrest in pediatrics
effectiveness of forced-air warming after pediatric surgery, without cardiopulmonary bypass (OC) [Guvakov, Cheung, Weiss, Kalinin, Fedorenko, Shunkin, Lomivorotov, Karaskov], 519
inspired oxygen, humidified
accelerates patient rewarming postoperatively (OC) [Frank, Hesel, El-Rahmany, Tran, Bamford], 283

I
Incident reports
prevention of adverse drug events
decade of progress in patient safety (SA) [Cullen, Bates, Leape, Adverse Drug Event Prevention Study Group], 600
what can anesthesiology learn from the adverse drug event prevention study? (ED) [Pierce, Jr], 579
Infants
drug administration for; unique method for oral (LE) [Levine, Drum, Mayhew, Herlich], 570
Inflammatory response
corticosteroids and cardiopulmonary bypass (SA) [Tassani], 242
Intubation
and anesthesia emergence
preoperative intravenous clonidine attenuates (OC) [Zalunardo, Zollinger, Spahn, Seifert, Pasch], 343
awareness during
quantitating incidence of laryngoscopy and, after balanced anesthesia induction with etomidate and cisatracurium (OC) [St. Pierre, Landsleitner, Schwilden, Schuettler], 104
bronchoscope, fiberoptic
intubation problems caused by defect in (LE) [Dumont, Lysakowski, Tassonyi], 575
bronchospasm during
latex anaphylaxis cause of? (CR) [Hepner], 162
intubating laryngeal mask airway (FASTRACH)
for use alone or together with lightwand (TRACHLIGHT); comparison (OC) [Fan, Hung, Agro], 581
lightwand (TRACHLIGHT)
and intubating laryngeal mask airway (FASTRACH); comparison (OC) [Fan, Hung, Agro], 581
orotracheal, fiberoptic
cardiovascular responses to, via television monitoring vs. conventional direct laryngoscopy (OC) [Adachi, Takamatsu, Watanabe, Uchihashi, Higuchi, Satoh], 503
rocuronium vs. succinylcholine-atracurium for
and maintenance relaxation, during propofol anesthesia (OC) [Lam, Pavlin, Visco, Taraday], 449
Ischemia, myocardial
in peripheral vascular surgery
and reduced fibrinolytic activity after (OC) [Lubarsky, Fisher, Slaughter, Green, Lineberger, Astles, Greenberg, Inge III, Krucoff], 136
as detected by transesophageal echocardiography (CC) [Corda, Caruso, Mangano], 491
Isoflurane
and epidural anesthesia
effect of, on cardiovascular response to rapid increase in isoflurane concentration (OC) [Nakayama, Tsuchida, Kanaya, Namiki], 14
vs. desflurane
observational evaluation of rate of awakening after (OC) [Beaussier, Decorps, Tilleul, Balladur, Lienhart], 586
vs. propofol
as adjuncts to remifentanil; multicenter comparison (OC) [Wilhelm, Grundmann, Van Aken, Haus, Larsen], 129
vs. sevoflurane
cardiovascular homeostasis during inhalational anesthesia with (OC) [Torri, Casati, Italian Research Group on Sevoflurane], 117
and propofol with the laryngeal mask airway in adult elective surgery patients (OC) [Smith, Lever, Sawkar, Pinchak, Hagen], 392

J
Journal of Clinical Anesthesia,
Acknowledgment of Reviewers, Volume 12, 639
Journal of Clinical Anesthesia,
Index of Authors, Volume 12, 643
Journal of Clinical Anesthesia,
Index of Subjects, Volume 12, 646
Journal of Education in Perioperative Medicine, abstracts from the Spring 2000 meeting, 622

K
Ketamine
and clonidine oral premedication
effects of, on side effects of IV ketamine (OC) [Handa, Tanaka, Nishikawa, Toyooka], 19
vs. nitroprusside
comparison of postoperative analgesic effects of preemptive (OC) [Kirdemir, Ozkocak, Demir, Gogus], 543
Key words
and resident education
adjunctive learning tool, in perioperative medicine rotation (OC) [Tetzlaff, Ryckman], 252
Knee surgery
neostigmine, intraarticular and epidural, for
postoperative analgesia (OC) [Lauretti, de Oliveira, Perez, Paccola], 444

L
Lamotrigine
in refractory cancer pain (LE) [Devulder], 574
Laryngeal mask airway
awake craniotomy, in
tumor resection during (CR) [Tongier, Joshi, Landers, Mickey], 592
intubating laryngeal mask airway (FASTRACH)

for use alone or together with lightwand (TRACHLIGHT); comparison (OC) [Fan, Hung, Agro], 581
sevoflurane and
comparison with propofol/isoflurane-nitrous oxide in adult elective surgery (OC) [Smith, Level, Sawkar, Pinchak, Hagen], 392
spontaneous breathing, and
propofol dosage for, during balanced regional anesthesia (OC) [Iwama, Nakane, Ohmori, Kato, Kaneko, Iseki], 189
Laryngoscopy
awareness during
quantitating incidence of intubation and, after balanced anesthesia induction with etomidate and cisatracurium (OC) [St. Pierre, Landsleitner, Schwilden, Schuettler], 104
vs. fiberoptic orotracheal intubation
cardiovascular responses to, via television monitoring (OC) [Adachi, Takamatsu, Watanabe, Uchihashi, Higuchi, Satoh], 503
Latex anaphylaxis
cause of bronchospasm during intubation? (CR) [Hepner], 162
Learning, distance
new technologies in perioperative education (ED) [Schubert], 250
Lidocaine
in difficult intubation
methemoglobinemia after topical anesthesia with benzocaine and (CC) [Kern, Langevin, Dunn], 167
intrathecal
should it be used in the 21st century? (CR) [Gaiser], 476
Lightwand (TRACHLIGHT)
in intubation
with intubating laryngeal mask (FASTRACH); comparison (OC) [Fan, Hung, Agro], 581
Liver donor (living) surgery
report of initial anesthesia experience with (CR) [Beebe, Carr, Komanduri, Humar, Gruessner, Belani], 157
Liver transplantation
for hepatic arteriovenous malformation
with high-output cardiac failure in hereditary hemorrhagic telangiectasia (CR) [Le Corre, Golkar, Tessier, Kavafyan, Marty], 339
hypotensive episodes during
hepatic outflow obstruction, cause of (CR) [Jawan, Cheung, Chen, Chen, Chiang, Wang, Cheng, Huang, Eng, Goto, Pan, De Villa, Liu, Wang, Lin, Lee], 231
liver donor (living) surgery
in infants and children
report of anesthetic care, early postoperative morbidity, and mortality (OC) [Wagner, Beebe, Carr, Komanduri, Humar, Gruessner, Belani], 454
report of initial anesthesia experience with (CR) [Beebe, Carr, Komanduri, Humar, Gruessner, Belani], 157
organ function during
neuromuscular paralysis as pharmacodynamic probe to assess (RP) [Gao, Ramzan, Baker], 615
transfusion needs during
poor prediction of, from perioperative variables (OC) [Findlay, Rettke], 319
Lumboperitoneal shunt
in cesarean section
and pseudotumor cerebri; epidural anesthesia for (CR) [Kim, Orbegozo], 213
Lung
disease, restrictive, in pediatrics
chronic graft-versus-host disease as cause of (CR) [Schure, Holzman], 482

M
Magnesium
hypermagnesemia and emergency cesarean section
cardiopulmonary arrest induced by (CR) [Morisaki, Yamamoto, Morita, Kotake, Ochiai, Takeda], 224
Malignant hyperthermia
and enoximone (phosphodiesterase-III inhibitor) (OC) [Fiege, Wappler, Scholz, Weisshorn, von Richthofen, Schulte am Esch], 123
Mastectomy, modified radical
and thoracic epidural anesthesia
in cryptogenic fibrosing alveolitis (CR) [Trikha, Sadhasivam, Saxena, Arora, Deo], 75
Medicare multiples in determining reimbursement
anesthesiologists' vs. other physicians' (SA) [Lubarsky, Reves], 238
Medication errors
adverse drug event prevention study
decade of progress in patient safety (SA) [Cullen, Bates, Leape, Adverse Drug Event Prevention Study Group], 600
what can anesthesiology learn from this study? (ED) [Pierce, Jr], 579
Methemoglobinemia
and topical anesthesia; lidocaine and benzocaine in difficult intubation (CC) [Kerr, Langevin, Dunn], 167
Methohexital
in perfused human placenta
transfer of, across (OC) [Herman, Li, Van Decar, Johnson, Bjoraker, Downing, Jones], 25
Micrognathia, severe
in pediatrics
and arthrogryposis multiplex congenita (CR) [Nguyen, Morvant, Mayhew], 227
Mortality, patient
ASA physical status category V (OC) [Sidi, Lobato, Cohen], 328
Myocardial cell injury, perioperative
relationship between Troponin T and cortisol (OC) [Mahla, Tiesenhausen, Rehak, Fruhwald, Purstner, Metzler], 208
Myocardial infarction, acute
during cesarean section
coronary artery plaque disruption as cause of (CR) [Kulka, Scheu, Tryba, Oberheiden, Zenz], 335

N
Nausea and vomiting
dolasetron for
pooled analysis of three large clinical trials to determine optimal dose, in postoperative (OC) [Philip, McLeskey, Chelly, McKenzie, Kovac, Diemunsch, DuBois, and Dolasetron Prophylaxis Study Group], 1
propofol for
controversies regarding use for this purpose (ED) [Bosek], 263
survey of use in U.S. (OC) [Soppitt, Glass, Howell, Weatherwax, Gan], 265
tropisetron to prevent postoperative
(OC) [Boogaerts, Bardiau, Seidel, Albert, Ickx], 402
Neostigmine
in abdominal surgery
vs. ketamine comparison of postoperative analgesic effects of preemptive (OC) [Kirdemir, Ozkocak, Demir, Gogus], 543
in knee surgery
intraarterial and epidural, for postoperative analgesia (OC) [Lauretti, de Oliveira, Perez, Paccola], 444
Nerve
ulnar neuropathy after surgery
and *res ipsa loquitur* (DD) [Liang, Kroll], 234
Neuromuscular paralysis
in liver transplantation
pharmacodynamic probe to assess organ function during (RP) [Gao, Ramzan, Baker], 615
Neutraceuticals

herbal medicines seen in anesthesiology practice
hospital survey (OC) [Kaye, Clarke, Sabar, Vig, Dhawan, Hofbauer, Kaye], 468
Nitroprusside
and controlled hypotension
in endoscopic sinus surgery; effect on surgical conditions and blood loss (OC) [Jacobi, Bohm, Rickauer, Jacobi, Hemmerling], 202
Nitrous oxide
vs. xenon and isoflurane
in autonomic cardiovascular control (OC) [Ishiguro, Goto, Nakata, Terui, Niimi, Morita], 196
Noise
in operative room; patients' perception of sound levels (OC) [Liu, Tan], 298

O
Obstetric units
difficult airway equipment in (OC) [Stamer, Messerschmidt, Wulf, Hoeft], (151)
Obstetrics
cesarean section, emergency
cardiopulmonary arrest induced by hypermagnesemia (CR) [Morisaki, Yamamoto, Morita, Kotake, Ochiai, Takeda], 224
effects of simultaneous administration of IV ephedrine and spinal anesthesia for (OC) [Tsen, Boosalis, Segal, Datta, Bader], 378
myocardial infarction, acute, as caused by coronary artery plaque disruption (CR) [Kulka, Scheu, Tryba, Oberheiden, Zenz], 335
epidural anesthesia
in parturient with pseudotumor cerebri and lumboperitoneal shunt (CR) [Kim, Orbegozo], 213
epidural labor analgesia
multiport vs. uniport catheters in; quality assurance study (OC) [Jaime, Mandell, Vallejo, Ramanathan], 89
Operating room
utilization of effect of fasting (NPO) policy on (OC) [Murphy, Ault, Wong, Szokol], 48
Oral and maxillofacial surgery
airway problems during
report of 14,195 anesthetics given at one teaching hospital over a 30-year period (OC) [Matsuura, Hirose, Joh, Sugiyama, Niwa, Shibutani], 460
Organ function
in liver transplantation
neuromuscular paralysis as pharmacodynamic probe to assess organ function (RP) [Gao, Ramzan, Baker], 615
Orthopedics
ambulatory surgery for
unique approach to postoperative analgesia (CC) [Corda, Ennekking, Vloka, Hadzic], 595
discectomy, lumbar
and delayed diagnosis of vascular injuries during (CR) [Hanouz, Bessodes, Samba, Gérard, Bricard], 64
Geriatric
diclofenac sodium for
failure to induce opioid-sparing or improve analgesia (OC) [Fredman, Zohar, Tarabykin, Shapiro, Jedeikin], 531
hip replacement, total
autologous blood donation, preoperative, in efficacy of; analysis of blood loss and transfusion practice in (OC) [Billote, Glisson, Green, Wixson], 537
ropivacaine in, during extradural anesthesia (OC) [Quitmann, Kern, Wulf], 36
Oxygen, inspired
and patient warming
humidified, warmed inspired oxygen accelerates postoperative (OC Frank, Hesel, El-Rahmany, Tran, Bamford], 283
Oxygenation, cerebral
in carotid endarterectomy
postoperative neurologic deficit in spite of normal reading (LE) [Laffey, Mehigan, Boylan], 573

P
Pain
complex regional pain syndrome (CRPS)
resistance to local anesthesia block (CR) [Maneksha, Mirza, Poppers], 67
shoulder analgesia via indwelling axillary brachial plexus catheter (CR) [Reuben, Steinberg], 472
postoperative
effect of preemptive spinal anesthesia on (OC) [Vaida, Ben-David, Somri, Croitoru, Sabo, Gaitini], 374
Patient safety
prevention of adverse drug events
decade of progress in patient safety (SA) [Cullen, Bates, Leape, Adverse Drug Event Prevention Study Group], 600
what can anesthesiology learn from the adverse drug event prevention study? (ED) [Pierce, Jr], 579
Patient satisfaction
in cataract surgery
preference for retrobulbar block over topical anesthesia (OC) [Boezaart, Berry, Nell], 58
side effects of anesthesia and surgery, unpleasant, and
patients' perception of monetary value of avoiding (OC) [Engoren, Steffel], 388
sound levels and
patients' perception of, in the operating room (OC) [Liu, Tan], 298
Patient surgical stress
cortisol response to
in chronically depressed patients (OC) [Kudoh, Ishihara, Matsuki], 383
in pediatrics
reactions to surgery; social adaptability, cognitive abilities, and other predictors (OC) [Kain, Mayes, Weisman, Hofstadter], 549
Patients' ASA physical status
Category V revisited (OC) [Sidi, Lobato, Cohen], 328
Pediatrics
airway, oropharyngeal, cuffed
evaluation of, for elective surgery (OC) [Robbins, Connelly], 555
anesthesia induction, rapid
high concentrations of halothane or sevoflurane for (OC) [Morimoto, Mayhew, Knox, Zornow], 184
arthrogryposis multiplex congenita
anesthetic management for patients with (CR) [Nguyen, Morvant, Mayhew], 227
circulatory arrest, hypothermic
forced-air warming after cardiac surgery in, without need for cardiopulmonary bypass (OC) [Guvakov, Cheung, Weiss, Kalinin, Fedorenko, Shunkin, Lomivorotov, Karaskov], 519
cisatracurium
intubating conditions and pharmacodynamics of, during halothane and opioid anesthesia (OC) [Kenaan, Estacio, Bikhazi], 173
graft-versus-host disease, chronic
and severe restrictive pulmonary dysfunction (CR) [Schure, Holzman], 482
liver transplantation (living related) in
anesthetic care, early postoperative morbidity and mortality after (OC) [Wagner, Beebe, Carr, Komanduri, Humar, Gruessner, Belani], 454
radiologic studies in
unique sedation method for infants (LE) [Levine, Drum, Mayhew, Herlich], 570
reactions to surgery

social adaptability, cognitive abilities, and other predictors (OC) [Kain, Mayes, Weisman, Hofstadter], 549
regional pain syndrome, complex, in
resistance to local anesthesia block (CR) [Maneksha, Mirza, Poppers], 67
sevoflurane, emergence characteristics of
for bilateral pressure equalization tube insertion (OC) [Cravero, Beach, Dodge, Whalen], 397
tonsillectomy
bleeding during relationship between clinical history, coagulation tests, and perioperative bleeding in pediatrics (OC) [Gabriel, Mazoit, Ecoffey], 288
Plethysmography
blood pressure monitoring, continuous
evaluation of new method of, in critically ill patients (OC) [Heard, Lisbon, Toth, Ramasubramanian], 509
Postdural puncture headache
prophylactic blood patch performed before continuous epidural analgesia (CR) [Waters, Sabharwal, Grass], 558
Preoperative evaluation process
redefining; and the role of the anesthesiologist (OC) [Parker, Tetzlaff, Litaker, Maurer], 350
Pregnancy
cesarean section, emergency
cardiopulmonary arrest induced by hypermagnesemia (CR) [Morisaki, Yamamoto, Morita, Kotake, Ochiai, Takeda], 224
effects of simultaneous administration of IV ephedrine and spinal anesthesia for (OC) [Tsen, Boosalis, Segal, Datta, Bader], 378
myocardial infarction, acute, as caused by coronary artery plaque disruption (CR) [Kulka, Scheu, Tryba, Oberheiden, Zenz], 335
epidural anesthesia
in parturient with pseudotumor cerebri and lumboperitoneal shunt (CR) [Kim, Orbegozo], 213
epidural labor analgesia
multiport vs. uniport catheters in; quality assurance study (OC) [Jaime, Mandell, Vallejo, Ramanathan], 89
Propofol
awake craniotomy, in
laryngeal mask airway during tumor resection (CR) [Tongier, Joshi, Landers, Mickey], 592
dosage to achieve spontaneous breathing
in balanced regional anesthesia with laryngeal mask airway (OC) [Iwama, Nakane, Ohmori, Kato, Kaneko, Iseki], 189
in epilepsy, medial temperal lobe
fails to be effective on intraoperative seizure activity (LE) [Fukui, Morioka, Hisada, Nishio, Irita, Takahashi, Fukui], 571
for nausea and vomiting
controversies surrounding use for this purpose (ED) [Bosek], 263
survey of clinical use in the U.S. (OC) [Soppitt, Glass, Howell, Weatherwax, Gan], 265
vs. isoflurane
as adjuncts to remifentanil; multicenter comparison (OC) [Wilhelm, Grundmann, Van Aken, Haus, Larsen], 129
and sevoflurane using the laryngeal mask airway in adult elective surgery (OC) [Smith, Lever, Sawkar, Pinchak, Hagen], 392
rocuronium vs. succinylcholine-atracurium for tracheal intubation during propofol anesthesia (OC) [Lam, Pavlin, Visco, Taraday], 449
Prostaglandin E_1
in coronary artery bypass grafting (OC) [Locker, Grimm, Losert, Stoiser, Kofler, Knapp, Wilfing, Knoebl, Kapiotis, Czerny, Muhm, Hiesmayr, Frass], 363
Pseudotumor cerebri
in cesarean section
epidural anesthesia in parturient with lumboperitoneal shunt and (CR) [Kim, Orbegozo], 213
Pulmonary artery flow velocity
in high-frequency jet ventilation
asssessment of, by transesophageal echocardiography (OC) [Kawahito, Kitahata, Tanaka, Nozaki, Oshita], 308

Q

R

Reflex sympathetic dystrophy
in pediatrics
resistance to local anesthesia block (CR) [Maneksha, Mirza, Poppers], 67
Reimbursement, for anesthesiologists
Medical multiples and; vs. other physicians' (SA) [Lubarsky, Reves], 238
Remifentanil
vs. fentanyl in high-risk outpatient surgery
(OC) [Mackey, Parker, Nass, Snyder, Curreri, Kazim, Zuckerman, Fleisher], 427
isoflurane vs. propofol as adjuncts to
multicenter comparison (OC) [Wilhelm, Grundmann, Van Aken, Haus, Larsen], 129
Residents, anesthesiology
key words
adjunctive learning tool, in perioperative medicine rotation (OC) [Tetzlaff, Ryckman], 252
Respiratory failure
noninvasive ventilation to treat impending
with bilevel positive airway pressure, in the postanesthesia care unit (OC) [Tobias], 409
Retrobulbar block
in cataract surgery
vs. topical anesthesia; the patients' perspective (OC) [Boezaart, Berry, Nell], 58
Risk attitudes
anesthesiologists'
and surgeons, in clinical decision-making with expected years of life (OC) [Nakata, Okuno-Fujiwara, Goto, Morita], 146
Rocuronium
in tracheal intubation
vs. succinylcholine-atracurium, during propofol anesthesia (OC) [Lam, Pavlin, Visco, Taraday], 449
Ropivacaine
in abdominal surgery
with or without fentanyl for patient-controlled analgesia (OC) [Berti, Casati, Fanelli, Albertin, Palmisano, Danelli, Comotti, Torri], 292
pharmacokinetics of
during extradural anesthesia in total hip replacement (OC) [Quitmann, Kern, Wulf], 36

S

Sedation, conscious
in abdominal compartment syndrome (CR) [Peppriell, Bacon], 216
Sevoflurane
and bispectral index
effect of IV clonidine pretreatment on anesthesia during bispectral EEG-guided sevoflurane anesthesia (OC) [De Deyne, Struys, Heylen, De Jongh, Vander Laenen, Buyse, Deghislage, Rolly], 52
emergence characteristics of
vs. halothane, in pediatric patients undergoing bilateral pressure equalization tube insertion (OC) [Cravero, Beach, Dodge, Whalen], 397
laryngeal mask airway, and
comparison with propofol and isoflurane-nitrous oxide with, in elective surgery for adults (OC) [Smith, Lever, Sawkar, Pinchak, Hagen], 392

low-flow technique with
maintenance of, with single vaporizer setting change after overpressure induction (OC) [Hendrickx, Vandeput, De Geyndt, De Ridder, Haenen, Deloof, De Wolf], 303
minimal flow technique with
coasting after overpressure induction with sevoflurane (OC) [Hendrickx, Vandeput, De Geyndt, DeLoof, De Wolf], 100
in pediatrics
high concentrations of halothane or sevoflurane for rapid anesthesia induction (OC) [Morimoto, Mayhew, Knox, Zornow], 184
vs. isoflurane
cardiovascular homeostasis during inhalational anesthesia with (OC) [Torri, Casati, Italian Research Group on Sevoflurane], 117
Shoulder surgery
analgesia for via brachial plexus catheter (CR) [Reuben, Steinberg], 472
Simulation
crisis resource management
principles of organization of a multidisciplinary group for (SA) [Murray, Foster], 633
learning tool in medical education
video teleconferencing and (SA) [Cooper, Barron, Blum, Davison, Feinstein, Halasz, Raemer, Russell], 256
Sinus surgery, endoscopic
and moderate controlled hypotension
effect on surgical conditions and blood loss with nitroprusside (OC) [Jacobi, Bohm, Rickauer, Jacobi, Hemmerling], 202
St. John's wort
possible cause of cardiovascular collapse (LE) [Irefin, Sprung], 498
Stress response
and perioperative clonidine
attenuator of, during emergence from anesthesia (OC) [Zalunardo, Zollinger, Spahn, Seifert, Pasch], 343
Stroke, perioperative
and epidural analgesia; association with (CR) [Wu, Francisco, Benesch], 61
Succinylcholine
hyperkalemia induced by
cardiac arrest due to, in patient with wound botulism (CR) [Chakravarty, Kirsch, Jensen, Kagawa], 80
Sufentanil
and low-dose clonidine, intrathecal
as analgesia in gynecological abdominal surgery (OC) [Juliao, Lauretti], 357

T

Teleconferencing
new technologies in perioperative education (ED) [Schubert], 250
realistic simulation and video teleconferencing for medical education (SA) [Cooper, Barron, Blum, Davison, Feinstein, Halasz, Raemer, Russell], 256
Telementoring
new technologies in perioperative education (ED) [Schubert], 250
Television monitoring
for intubation, fiberoptic orotracheal
cardiovascular responses to, vs. conventional direct laryngoscopy (OC) [Adachi, Takamatsu, Watanabe, Uchihashi, Higuchi, Satoh], 503
Temperature, core
determinants of
in cardiopulmonary bypass patients (OC) [El-Rahmany, Frank, Vannier, Schneider, Okasha, Bulcao], 177
pediatrics, in
circulatory arrest, hypothermic forced-air warming after cardiac surgery in, without need for cardiopulmonary bypass (OC) [Guvakov, Cheung, Weiss, Kalinin, Fedorenko, Shunkin, Lomivorotov, Karaskov], 519
rewarming
warmed humidified inspired oxygen accelerates postoperative (OC) [Frank, Hesel, El-Rahmany, Tran, Bamford], 283
skin
lumbar sympathetic ganglion block vs. epidural anesthesia; comparison of lower extremity temperature changes (OC) [Frank, El-Rahmany, Tran, Vu, Raja], 525
Third-party payers
in reimbursement for anesthesiologists
Medicare multiples (SA) [Lubarsky, Reves], 238
Thrombocytopenia
as induced by heparin
danaparoid sodium for; in cardiovascular surgery (OC) [Koster, Meyer, Hausmann, Kuppe, Hetzer, Mertzlufft], 324
Tonsillectomy
bleeding during
relationship between clinical history, coagulation tests, and perioperative bleeding in pediatrics (OC) [Gabriel, Mazoit, Ecoffey], 288
Transfusion requirements
in liver transplantation; preoperative variables are poor predictors of (OC) [Findlay, Rettke], 319
Transplantation
liver donor (living) surgery
in infants and children anesthetic care, early postoperative morbidity and mortality after (OC) [Wagner, Beebe, Carr, Komanduri, Humar, Gruessner, Belani], 454
report of initial anesthesia experience with (CR) [Beebe, Carr, Komanduri, Humar, Gruessner, Belani], 157
transfusion requirements during
in liver transplantation; preoperative variables are poor predictors of (OC) [Findlay, Rettke], 319
Tropisetron
and prevention of postoperative nausea and vomiting (OC) [Boogaerts, Bardiau, Seidel, Albert, Ickx], 402
Troponin T
and myocardial cell injury, perioperative
relationship between Troponin T and cortisol (OC) [Mahla, Tiesenhausen, Rehak, Fruhwald, Purstner, Metzler], 208
Tumor resection
in awake craniotomy
laryngeal mask airway for (CR) [Tongier, Joshi, Landers, Mickey], 592

U

Ultrasonography
in cannulation
aid to antermedial internal jugular vein (CR) [Shulman, Kaplan, Lee], 83
left. vs. right internal jugular vein, in adults (OC) [Sulek, Blas, Lobato], 142

V

Vascular injury
in discectomy, lumbar
delayed diagnosis of vascular injuries during (CR) [Hanouz, Bessodes, Samba, Gérard, Bricard], 64
Vascular surgery, peripheral
and myocardial ischemia
reduced fibrinolytic activity, and (OC) [Lubarsky, Fisher, Slaughter, Green, Lineberger, Astles, Greenberg, Inge III, Krucoff], 136
Vein
internal jugular
left vs. right cannulation, in adults (OC) [Sulek, Blas, Lobato], 142

subclavian, catheterization of
brachial plexus injury during hemodialysis (CR) [Karakaya, Baris, Guldogus, Incesu, Sarihasan, Tur], 220
transverse cervical
unintentional transfixation of, during placement of an interscalene brachial plexus catheter (CR) [Rosenblatt], 413
Ventilation
high-frequency jet
transesophageal echcardiographical assessment of pulmonary artery and venous flow during (OC) [Kawahito, Kitahata, Tanaka, Nozaki, Oshita], 308
Venturi's principle to describe entrainment during (LE) [Ihra, Aloy], 417
noninvasive
and bilevel positive pressure airway pressure to treat impending respiratory failure in the postanesthesia care unit (OC) [Tobias], 409
Ventilator
SmartVent anesthesia ventilator (Datex-Ohmeda)
improvement in flow and pressure capabilities of (OC) [Katz, Kallet, Alonso, Marks], 40
Ventricular function, left
and stellate ganglion block (OC) [Lobato, Kern, Paige, Brown, Sulek], 315
Venturi's principle
and entrainment during jet ventilation (LE) [Ihra, Aloy], 417

W
Warming, patient
in pediatrics
circulatory arrest, hypothermic forced-air warming after cardiac surgery in, without need for cardiopulmonary bypass (OC) [Guvakov, Cheung, Weiss, Kalinin, Fedorenko, Shunkin, Lomivorotov, Karaskov], 519
rewarming
warmed humidified inspired oxygen accelerates postoperative (OC) [Frank, Hesel, El-Rahmany, Tran, Bamford], 283
temperature, core
determinants of in cardiopulmonary bypass patients (OC) [El-Rahmany, Frank, Vannier, Schneider, Okasha, Bulcao], 177

X
Xenon
comparison with isoflurane and nitrous oxide
effect of, on autonomic cardiovascular control (OC) [Ishiguro, Goto, Nakata, Terui, Niimi, Morita], 196
effect on endotracheal tube cuff
(OC) [Ishiguro, Saito, Nakata, Goto, Terui, Niimi, Morita], 371